

Canoa Lounge Chair, 2022

Canoa ("canoe" in Portuguese) is a rocking armchair that rocks like the sea and evokes the feeling of being on the water. Its design is curved and sinuous, and its seat has a cozy angle, where the body lies almost lying down, relaxed and drifting. Being completely upholstered, the softness is extreme and guarantees comfort. The height allows the coming and going and the feet, close to the ground, give firmness to the rhythm — like two oars, they give fluidity or pause to rest. There is, also, calmness in the waters. The upholstery is covered by WE-KNIT® fabric — 3D fabric made from recycled PET bottles collected from the oceans.

PRODUCT TYPE: Lounge Chair

ENVIRONMENT: Indoor

MATERIALS: Steel, Wood, Upholstery

DIMENSIONS
W: 95cm / 35½"
D: 140cm / 55"
H: 58cm / 22¾"
Seat height: 36cm / 14"

neт weight 28,5kg / 63 lbs

COLORS
Check below for exclusive
WE—KNIT® coverings for WENTZ
upholstered products.

TECHNICAL DESCRIPTION
Rocking lounge chair with steel and wood structure, elastic straps and foam. Exclusive WE—KNIT® covering. Aluminum and felt finishing on the bottom of the base to prevent fabric friction against the floor.

CERTIFICATES
US California Tech. Bull. 117

packaging 100 x 145 x 65cm / 39" x 57" x 26"

GROSS WEIGHT 31,5kg / 70 lbs





CA01 CANOA LOUNGE CHAIR

WE-KNIT® 004

COMPOSITION 100% Recycled PET

ABRASION RESISTANCE 100.000 Martindale Mesh wire pulling: 4 (ISO 1-5) Colorfastness: 5 (ISO 1-5)

LIGHT RESISTANCE Lightfastness: 5 (ISO 1-5)

FLAME RESISTANCE US California Tech. Bull. 117






JACQUARD WHITE



02 JACQUARD OFF WHITE






04 JACQUAR GREY




14 JACQUARD CARAMEL



10 JACQUARD MOSS GREEN



06 JACQUARD CLAY



11 JACQUARD NAVY BLUE

WE-KNIT®003

COMPOSITION 100% Recycled PET

ABRASION RESISTANCE 100.000 Martindale Mesh wire pulling: 4 (ISO 1–5) Colorfastness: 5 (ISO 1–5)

LIGHT RESISTANCE Lightfastness: 5 (ISO 1-5)

FLAME RESISTANCE US California Tech. Bull. 117



WE-KNIT® 005

COMPOSITION 70% Recycled PET + 30% Elastane

ABRASION RESISTANCE 100.000 Martindale Mesh wire pulling: 4 (ISO 1–5) Colorfastness: 5 (ISO 1–5)

LIGHT RESISTANCE Lightfastness: 5 (ISO 1-5)

FLAME RESISTANCE US California Tech. Bull. 117

